

Page: 1 of 9 Version: 4.01 / EN Rev. Date: 2015-10-21

1.0 PRODUCT / COMPANY IDENTIFICATION

1.1 Product Identifier

Product Name: ProFire Igniter (version 2)

Synonyms: Igniter, Hobby Rocket Motor Igniter, Electric Match

Part Number: PF-v2

1.2 Relevant Identified Uses

Product Use: Igniter used to ignite hobby rockets

1.3 Details of the Supplier of the SDS

Manufacturer / Supplier: Cesaroni Technology Inc.

P.O. Box 246 2561 Stouffville Rd. Gormley, Ont. Canada L0H 1G0

E-mail: regulatory@cesaroni.net

1.4 Emergency Telephone Numbers

Telephone Numbers:

Product Information: Tel: +1-905-887-2370 Fax: +1-905-887-2375

24 Hour Emergency Telephone Number: Tel: +1-613-996-6666 (CANUTEC)

2.0 HAZARDS IDENTIFICATION

2.1 Classification

2.2 Label Elements

Signal Word: Danger GHS Pictograms:





Hazard Statements: H204 Fire or Projection Hazard H302 Harmful if swallowed

Precautionary Statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking

P250 Do not subject to grinding/shock/friction.

P370+P380 In case of fire: Evacuate Area. P372 Explosion risk in case of fire.

P373 DO NOT fight fire when fire reaches explosives.

P401 Store in accordance with local/regional/national regulations.
P501 Dispose of in accordance with local/regional/national regulations.

2.3 Other Hazards

Emergency Overview:

These articles contain potassium perchlorate. All explosives are dangerous and must be handled carefully and used following approved safety procedures under the direction of competent, experienced personnel in accordance with all applicable federal, state and local laws and regulations. Avoid inhaling exhaust products.



Page: 2 of 9 Version: 4.01 / EN Rev. Date: 2015-10-21

Potential Health Effects:

Eye:

Not a likely route of exposure. May cause eye irritation.

Skin:

Not a likely route of exposure. Low hazard for usual industrial/hobby handling.

Ingestion:

Not a likely route of exposure.

Inhalation:

Not a likely route of exposure. May cause respiratory tract irritation. Do not inhale exhaust products.

3.0 COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances n/a

3.2 Mixtures

3.2.1 Description of the Mixtures

ProFire Igniters consist of two insulated wires that are capped at one end by a small circuit board. The circuit board is covered in a pyrotechnic composition.

3.2.2 Hazardous Ingredients

Pyrotechnic composition

Name	CAS No.	EC No.	REACH Registration No.	% [weight]	Classification according to Reg. (EC) No. 1278/2008 (CLP)
Potassium perchlorate	7778-74-7	231-912-9	01-2120021000-89-0000	1-5%	O; R9, Xn; R22
Magnesium	7439-95-4	231-104-6	01-2119537203-49-0000	50-70%	F; R15-17
Synthetic rubber	n/a	n/a	n/a	5-15%	
Polytetrafluoroethylene	9002-84-0			30-40%	

4.0 FIRST AID MEASURES

4.1 Description of First Aid Measures

4.1.1 General Information

Burns received from igniters may be treated as regular burns, following normal first aid procedures.

4.1.2 Following Inhalation

Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.

4.1.3 Following Skin Contact

Most people will not react to skin contact. If there is any sign of skin reaction or irritation, flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid if irritation develops or persists.

4.1.4 Following Eye Contact

Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

4.1.5 Following Ingestion

Do NOT induce vomiting. If conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water.



Page: 3 of 9 Version: 4.01 / EN Rev. Date: 2015-10-21

4.1.6 Self-Protection of the First Aider

Avoid inhaling exhaust products.

4.2 Most Important Symptoms and Effects, both acute and delayed

4.2.1 Symptoms:

Skin rash

4.2.2 Effects:

Continued rash may indicate sensitivity to ammonium perchlorate composite propellant

4.3 Indication of any immediate medical attention and special treatment needed

4.3.1 Notes for the doctor:

Treat with regular procedures

4.3.2 Special Treatment:

No special treatments required

5.0 FIRE FIGHTING MEASURES

5.1 Extinguishing Media:

5.1.1 Suitable Extinguishing Media

In case of fire, use water, dry chemical, chemical foam, or alcohol-resistant foam to contain surrounding fire.

5.1.2 Unsuitable Extinguishing Media

None

5.2 Special Hazards Arising from the Substance or Mixture

5.2.1 Hazardous Combustion Products

During a fire, irritating and highly toxic gases, including boron and titanium, may be generated by thermal decomposition or combustion.

5.3 Advice for Fire Fighters

Keep all persons and hazardous materials away. Igniters may project sparks that could cause secondary fires. Avoid breathing exhaust products. As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.

5.4 Additional Information

These articles burn rapidly and generate a significant flame for a short period of time. Black powder is a deflagrating explosive. It is very sensitive to flame and spark and can also be ignited by friction and impact. When ignited unconfined, it burns with explosive violence and will explode if ignited under even slight confinement. Do not inhale exhaust products.

6.0 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Protective equipment: If no source of ignition present, no special PPE is required.

Emergency procedures: Replace articles in packaging and boxes and seal securely. Sweep or

scoop up using non-sparking tools.

6.1.2 For emergency responders

Personal protective equipment: If no source of ignition present, no special PPE is required.

Environmental precautions:Be sure to sweep or scoop up complete spill.



Page: 4 of 9 Version: 4.01 / EN Rev. Date: 2015-10-21

6.3 Methods and material for containment and cleaning up

6.3.1 For containment: Prevent igniters from contaminating surface and ground water.

If overdip cracks off, prevent wind from carrying particles away.

6.3.2 For cleaning up:

Clean up spills immediately. Replace articles in packaging and boxes

and seal securely. Sweep or scoop up using non-sparking tools.

6.3.3 Other information: None

6.4 Reference to other sections See section 13 for disposal procedures.

6.5 Additional information: None

7.0 HANDLING AND STORAGE

7.1 Precautions for safe handling

7.1.1 Protective measures:

Advice on safe handling: Do not get in eyes, on skin or on clothing. Do not taste or

swallow. Avoid prolonged or repeated contact with skin. Follow

manufacturer's instructions for use.

Neep away from sources of heat or ignition.

Fire preventions: Keep away Aerosol and dust generation preventions: n/a

Environmental precautions: Store in a cool, dry place.

7.1.2 Advice on general occupational hygiene

7.2 Conditions for safe storage, including any incompatibilities

Technical measures & storage conditions: Store in a cool, dry place, away from sources of heat or ignition.

Packaging materials: Store in original packaging until immediately before use. Requirements for storage rooms and vessels: Store in accordance with local requirements for explosives.

Hints on storage assembly: n/a Storage class: n/a

Materials to avoid: Do not store with combustibles.

Further information on storage conditions: n/a

7.3 Specific end uses:

Recommendations: Use as per supplied instructions.

Specific end uses:

Use in accordance with national regulations for High Power

Rocketry. (eg. Canadian Association of Rocketry, Tripoli Rocketry

Association, etc.)

8.0 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control Parameters

8.1.1 Occupational Exposure Limits

No occupational exposure limits listed

8.1.2 Biological Limit Values

No biological limits listed



Page: 5 of 9 Version: 4.01 / EN Rev. Date: 2015-10-21

8.1.3 Exposure Limits at Intended Use

8.1.4 DNEL/PNEC Values

Potassium Perchlorate

Long term exposure – inhalation – systemic effects DNEL no information available

Magnesium

Long term exposure – inhalation – local effects DNEL 10.0 mg/m³
Long term exposure – inhalation – systemic effects DNEL 10.0 mg/m³

No PNEC values listed.

8.1.5 Risk management measures according to used control banding approach

Employ good industrial hygiene practices.

8.2 Exposure Controls

8.2.1 Appropriate Engineering Controls

Use adequate explosion proof ventilation to keep airborne concentrations low. All equipment and working surfaces must be grounded.

8.2.2 Personal Protective Equipment

8.2.2.1 Eye/Face Protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

8.2.2.2 Skin Protection

Clothing should be appropriate for handling pyrotechnic substances.

8.2.2.3 Respiratory protection

A respirator is not typically necessary.

8.2.2.4 Thermal Hazards

An igniter can cause severe burns when it goes off. Follow supplied instructions.

8.2.3 Environmental Exposure Controls

8.2.4 Consumer Exposure Controls

Follow supplied instructions.

9.0 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties

9.1.1 Appearance

Physical State: solid

Appearance: insulated wire with grey overdip at one end.

Odour: none

Odour Threshold: Not available. Not available. Not available. Vapour Pressure: Vapour Density: Not available. Viscosity: Not available Evaporation Rate: Not available. **Boiling Point:** Not available. Freezing/Melting Point: Not available. Coefficient of water/oil distribution: Not available. Autoignition Temperature: 280°C Flash Point: Not available. Explosion Limits, lower (LEL): Not available.

Explosion Limits, upper (UEL): Not available.

Sensitivity to Mechanical Impact: grey overdip can be ignited by impact

Sensitivity to Static Discharge:

Decomposition Temperature:

Solubility in water:

Specific Gravity/Density:

Molecular Formula:

Molecular Weight:

Sensitivity to Static Discharge:

can be ignited by static discharge

> 400°C

Not available

Not available

Not applicable

Not applicable.



Page: 6 of 9 Version: 4.01 / EN Rev. Date: 2015-10-21

9.2 Other Information

none

400	CTABIL	ITV AND	DEACTIV	/17\/
10.0	JIADIL	III AND	REACTIV	1 I I

10.1 Reactivity

10.2 Chemical Stability

Under storage at normal ambient temperatures (minus 40° C to + 40° C), the product is stable.

10.3 Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

10.4 Conditions to Avoid

Heat, static electricity, friction, impact

10.5 Incompatible Materials

Combustible or flammable materials, explosive materials

10.6 Hazardous Decomposition Products

Oxides of Nitrogen, hydrochloric acid

11.0 TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects

11.1.1 Substances not applicable

11.1.2 Mixtures

(a)	Acute toxicity	no data available
(b)	Irritation	no data available
(c)	Corrosivity	no data available
(d)	Sensitisation	no data available
(e)	Repeated dose toxicity	no data available
(f)	Carcinogenicity	no data available
(g)	Mutagemicity	no data available
(h)	Toxicity for reproduction	no data available

11.2 Other Information

Exposure Limits:

Ingredient Name	CAS Number	OSHA PEL	ACGIH TLV
Potassiumium Perchlorate Magnesium powder Synthetic Rubber Polytetrafluoroethylene	7790-98-9 7439-95-4 9002-84-0	not established varies not established not established	not established varies not established not established



Page: 7 of 9 Version: 4.01 / EN Rev. Date: 2015-10-21

12.0 ECOLOGICAL INFORMATION

12.1ToxicityNo Data Available12.2Persistence and DegradabilityNo Data Available12.3Bioaccumulative PotentialNo Data Available12.4Mobility in SoilNo Data Available12.5Results of PBT and vPvB AssessmentNo Data Available

12.6 Other Adverse Effects The substance has a very low global warming potential.

13.0 DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods

13.1.1 Product/Packaging Disposal

Pack firmly in hole in ground. Ignite motor electrically from a safe distance and wait 5 minutes before approaching. Dispose of spent components in inert trash. Dispose of used packaging materials in inert trash.

13.1.2 Waste Treatment Options

Igniters should be burned before disposal.

13.1.3 Other Disposal Recommendations

Consult local regulations about disposal of explosive materials.

13.2 Additional Information

None

14.0 TRANSPORT INFORMATION

	Land Transport (ADR/RID)	Inland Waterway Transport (AND)	Sea Transport (IMDG)	Air Transport (ICAO-TI/IATA- DGR)
14.1 UN No.	UN 00454			
14.2 UN Proper Shipping Name	Igniters			
14.3 Transport Hazard Class	1.4 S			
14.4 Packing Group	n/a			
14.5 Environmental Hazards	None listed			

14.6 Special Precautions for the User

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not designed for bulk transport.

14.8 Additional Information

14.8.1 All Transport Carriers

See below

14.8.2 Land Transport (ADR/RID)

Limited Quantity: 0
Special Provisions: none
Tunnel Restriction Code: E
Classification Code: 1.4S
Transport Category: 4 (E)
Hazard Identification Number (Kemler No.): none

Remark:

14.8.3 Inland Waterway Transport (ADN)

Limited Quantity: 0
Special Provisions: none
Category: not applicable

Remark: Handling provisions- LO01, HA01, HA03



Page: 8 of 9 Version: 4.01 / EN Rev. Date: 2015-10-21

14.8.4 Sea Transport (IMDG)

Limited Quantity: None Special Provisions: none

Marine Pollutant: not applicable Segregation Group: not applicable

Remark: Packing Instruction 101

14.8.5 Air Transport (ICAO-TI / IATA-DGR)

Limited Quantity: None Special Provisions: None

Remark: Packing Instruction 142, Max. 25 kg per package (passenger

aircraft, Max 100 kg / per package (cargo aircraft)

15.0 REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations/Legislation

15.1.1 EU Regulations

Authorizations

Restrictions on Use

Follow local regulations for use and storage of class 1.4S explosives

Other EU Regulations

15.1.2 National Regulations

Canada

This product has been classified according to the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR.

WHMIS Classification: Not Controlled (explosive)
Canadian Explosives Classification: Rocket Motors – **R.3**, **PE4**

These products are authorized explosives in Canada.

These products are not considered "Controlled Goods" in Canada under the Controlled Goods Regulations.

United States of America

EPA Hazard Categories (SARA 311,312)

Hazardous Chemical Lists

CERCLA Hazardous Substance (40 CFR 302.4)

SARA Extremely Hazardous Substance (40 CFR 355)

No SARA Toxic Chemical (40 CFR 372.65)

No Massachusetts Right-To-Know Substance List (MSL)

Pennsylvania Right-To-Know Substance List

No New Jersey Worker & Community Right-To-Know Act

California Proposition 65

No

Chemical Inventories

Canada All ingredients are listed on the DSL.

United States All ingredients are listed on the TSCA Inventory.

Europe All ingredients are listed on the EINECS inventory.

Australia All ingredients are listed on the AICS Inventory.

China All ingredients are listed on the IECSC Inventory.

Japan All ingredients are listed on the ENCS Inventory.

Korea All ingredients are listed on the Existing Chemicals List (ECL).

Philippines All ingredients are listed on the PICCS.

15.2 Chemical safety Assessment

A Chemical Safety Assessment is not required for this product.



Page: 9 of 9 Version: 4.01 / EN Rev. Date: 2015-10-21

16.0 OTHER INFORMATION

16.1 Changes From Last Version

Overhaul to comply with WHMIS 2015, HazCom 2012 and REACH.

16.2 Abbreviations and Acronyms

DNEL Derived No-Effect Exposure Limit
HS Globally Harmonized System
PNEL Predicted No Effect level

16.3 Key Literature References and Sources of Data

GESTIS

16.4 Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008 [CLP]

No tests conducted.

16.5 Relevant R-, H-, and EUH- Phrases

Risk Phrases:

R 2 Risk of explosion by shock, friction, fire or other sources of ignition.

R 11 Highly flammable

R 44 Risk of explosion if heated under confinement.

Safety Phrases:

S 1/2 Keep locked up and out of the reach of children.

\$ 8\$ 15Keep container dry.Keep away from heat.

S 16 Keep away from sources of ignition -- No smoking.

\$ 17 Keep away from combustible material.

S 18 Handle and open container with care.S 33 Take precautionary measures against

\$ 33 Take precautionary measures against static discharges.\$ 41 In case of fire and/or explosion do not breathe fumes.

16.6 Training Advice

Follow supplied instructions carefully.

16.7 Further Information

SDS Prepared by: Regulatory Affairs Department

Cesaroni Technology Inc.

P.O. Box 246 2561 Stouffville Rd. Gormley, ON Canada L0H 1G0

Telephone: 905-887-2370 x239 Fax: 905-887-2375

Web Sites: <u>www.cesaronitech.com</u>

www.Pro38.com

The data in this Material Safety Data Sheet relates only to the specific material or product designated herein and does not relate to use in combination with any other material or in any process.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the company has been advised of the possibility of such damages.